



AIRCRAFT REFUELLER

Model FTS

Esterer Aircraft Refueller type FTS is designed to service all aircrafts with overwing and underwing reel and deck hoses.



Tank volume: 20.000 to 80.000 L

Dimensions: Height:
Low profile (2.650 mm)
and standard

Performance: Up to 3.700 l/min

AIRCRAFT REFUELLER

Model FTS

TANK

- In self-supporting aluminium alloy construction
 - Single compartment, double / triple coned
-

TANK EQUIPMENT

- Tank fitted with manhole
 - Explosion proof ventilation device (tilt safety)
 - Dip stick
 - Access ladder to tank top
 - Handrail
 - Tank overturn protection
-

OPERATIONS AND EQUIPMENT

- Underwing pressure refuelling via deck hoses
 - Underwing pressure refuelling via reel hose
 - Overwing refuelling
 - Defuelling
 - Bottom loading
 - Hydraulic hose reel and elevating platform drive
 - Mechanical or hydraulic pump drive
 - Electronic or mechanical meter system
 - Close circuit sampling system
 - Pipes of flow system: aluminium
 - Drive-away interlock system
 - Elevating Platform in front or at the rear of the tank
-

STANDARD EQUIPMENT ACC.

TO IATA/JIG, EN 12312/5

REGULATIONS FOLLOWING GGVS / ADR

WIDE RANGE OF OPTIONS

TO CUSTOMER'S REQUEST



Dr. Ing. Ulrich Esterer GmbH & CO
Fahrzeugaufbauten und Anlagen KG
D-34398 Helsa

Tel. +49 5605 809-0
refueller@esterer.de
www.esterer.de